

		FLOOD FLOWS			END
Date	Period	Inflow (Cumecs)	Historical Releases (Cumecs)	"Optimal" Releases (Cumecs)	Water Level (A.H.D.)
<b>6/01/2011</b>	<b>Start 09.00</b>				<b>67.32</b>
<b>6/01/2011</b>	09.00/10.00	406	0	71	67.33
	10.00/11.00	177	0	125	67.33
<b>Thursday</b>	11.00/12.00	177	0	125	67.33
	12.00/13.00	406	0	125	67.34
	13.00/14.00	177	0	125	67.35
	14.00/15.00	152	0	125	67.35
	15.00/16.00	534	0	125	67.36
	16.00/17.00	330	0	193	67.36
	17.00/18.00	355	0	248	67.37
	18.00/19.00	355	0	248	67.37
	19.00/20.00	355	0	248	67.38
	20.00/21.00	355	0	248	67.38
	21.00/22.00	305	0	248	67.38
<b>Thursday</b>	22.00/23.00	660	0	249	67.39
	23.00/24.00	1047	0	316	67.42
<b>7/01/2011</b>	00.00/01.00	798	0	371	67.43
	01.00/02.00	800	0	435	67.44
	02.00/03.00	980	0	493	67.46
<b>Friday</b>	03.00/04.00	1135	0	623	67.48
	04.00/05.00	1324	0	731	67.50
	05.00/06.00	1109	0	982	67.50
	06.00/07.00	1134	0	1186	67.50
	07.00/08.00	1167	0	1526	67.49
	08.00/09.00	864	0	1814	67.46
	09.00/10.00	1648	0	1812	67.45
	10.00/11.00	2225	0	1812	67.46
	11.00/12.00	1778	0	2213	67.46
	12.00/13.00	1472	0	2537	67.41
	13.00/14.00	1139	0	2530	67.37
	14.00/15.00	995	51	2521	67.32
	15.00/16.00	1020	103	2512	67.27
	16.00/17.00	1523	154	2440	67.24
	17.00/18.00	1360	205	2367	67.21
	18.00/19.00	958	255	2293	67.16
<b>Friday</b>	19.00/20.00	1514	303	2220	67.14
	20.00/21.00	1300	351	2149	67.11
	21.00/22.00	1387	403	2072	67.09
	22.00/23.00	1519	456	1996	67.07
	23.00/24.00	818	509	1919	67.04
<b>8/01/2011</b>	00.00/01.00	1841	561	1843	67.04
	01.00/02.00	1624	614	1769	67.03
	02.00/03.00	1246	662	1689	67.02
<b>Saturday</b>	03.00/04.00	1622	719	1608	67.02
	04.00/05.00	1135	773	1528	67.00

	05.00/06.00	1867	825	1448	67.02
	06.00/07.00	2144	879	1370	67.04
	07.00/08.00	1515	927	1367	67.05
	08.00/09.00	1649	980	1368	67.06
	09.00/10.00	1755	1031	1369	67.07
	10.00/11.00	1399	1085	1369	67.07
	11.00/12.00	1260	1138	1369	67.07
8/01/2011	12.00/13.00	1530	1189	1369	67.07
	13.00/14.00	1799	1239	1370	67.09
	14.00/15.00	1581	1240	1371	67.09
	15.00/16.00	1418	1241	1371	67.09
	16.00/17.00	1227	1242	1371	67.09
	17.00/18.00	1255	1242	1371	67.09
	18.00/19.00	1255	1242	1371	67.08
	19.00/20.00	1255	1242	1370	67.08
Saturday	20.00/21.00	1282	1242	1289	67.08
	21.00/22.00	1091	1242	1203	67.07
	22.00/23.00	899	1242	1116	67.07
	23.00/24.00	926	1242	1030	67.06
9/01/2011	00.00/01.00	925	1240	944	67.06
	01.00/02.00	943	1286	940	67.06
	02.00/03.00	1189	1285	897	67.07
	03.00/04.00	970	1285	852	67.08
	04.00/05.00	802	1336	807	67.08
Sunday	05.00/06.00	1047	1335	763	67.09
	06.00/07.00	1046	1334	718	67.10
	07.00/08.00	773	1334	716	67.10
	08.00/09.00	1182	1333	716	67.11
	09.00/10.00	1536	1332	717	67.14
	10.00/11.00	1646	1332	718	67.17
	11.00/12.00	2080	1384	965	67.21
	12.00/13.00	2054	1385	1168	67.24
	13.00/14.00	3448	1386	1172	67.31
	14.00/15.00	4136	1388	1520	67.40
	15.00/16.00	3946	1394	1809	67.47
	16.00/17.00	4733	1398	2222	67.55
	17.00/18.00	5454	1404	2565	67.65
	18.00/19.00	5848	1411	2979	67.74
	19.00/20.00	7338	1419	3332	67.88
	20.00/21.00	7659	1428	3370	68.02
Sunday	21.00/22.00	7646	1440	3406	68.14
	22.00/23.00	7935	1450	3441	68.28
	23.00/24.00	7936	1452	3477	68.42
10/01/2011	00.00/01.00	8449	1473	3514	68.56
	01.00/02.00	8732	1539	3553	68.72
	02.00/03.00	9133	1605	3595	68.89
	03.00/04.00	8759	1672	3635	69.04
Monday	04.00/05.00	8933	1740	3673	69.20
	05.00/06.00	9312	1806	3713	69.36
	06.00/07.00	9351	1875	3753	69.53

	07.00/08.00	10095	1944	3795	69.72
	08.00/09.00	9731	2015	3838	69.89
	09.00/10.00	7267	2031	3871	69.94
	10.00/11.00	8059	2044	3895	70.10
	11.00/12.00	9026	2053	3924	70.24
	12.00/13.00	7384	2067	3951	70.34
	13.00/14.00	7856	2077	3974	70.44
	14.00/15.00	8411	2087	3999	70.56
<b>Monday</b>	15.00/16.00	6568	2155	3986	70.63
	16.00/17.00	5116	2277	3996	70.66
10/01/2011	17.00/18.00	5286	2399	3969	70.70
	18.00/19.00	4946	2517	3974	70.73
	19.00/20.00	4920	2695	3979	70.75
	20.00/21.00	5026	2699	3985	70.78
	21.00/22.00	4488	2705	3990	70.79
	22.00/23.00	4574	2709	3993	70.81
10/01/2011	23.00/24.00	4654	2713	3996	70.83
11/01/2011	00.00/01.00	4175	2717	3964	70.83
	01.00/02.00	3594	2721	3962	70.82
	02.00/03.00	4388	2724	3962	70.83
	03.00/04.00	4974	2726	3966	70.86
<b>Tuesday</b>	04.00/05.00	5866	2731	3974	70.91
	05.00/06.00	6817	2736	3987	70.99
	06.00/07.00	6802	2745	3971	71.07
	07.00/08.00	8060	2753	3985	71.18
	08.00/09.00	9165	2991	3962	71.33
	09.00/10.00	10376	3347	3965	71.50
	10.00/11.00	9606	3533	3996	71.63
	11.00/12.00	10120	3667	3988	71.83
	12.00/13.00	11561	4250	3981	72.03
	13.00/14.00	9739	4562	3972	72.18
	14.00/15.00	9055	5167	3954	72.31
	15.00/16.00	8947	5786	3974	72.44
	16.00/17.00	8196	6432	3995	72.55
	17.00/18.00	7141	6774	3969	72.63
	18.00/19.00	6876	7464	3980	72.70
<b>Tuesday</b>	19.00/20.00	7060	7464	3993	72.78
	20.00/21.00	6797	7458	3962	72.86
	21.00/22.00	6229	7111	3971	72.91
	22.00/23.00	5964	7103	3980	72.97
11/01/2011	23.00/24.00	5052	6118	3986	72.99
12/01/2011	00.00/01.00	4750	6109	3990	73.01
	01.00/02.00	4096	5492	3992	73.01
	02.00/03.00	4638	5483	3994	73.03
	03.00/04.00	4190	4888	3995	73.03
<b>Wednesday</b>	04.00/05.00	4083	4304	3996	73.04
	05.00/06.00	3984	3727	3996	73.04
	06.00/07.00	3694	3143	3995	73.03
	07.00/08.00	2473	2547	3992	72.99
	08.00/09.00	2510	2547	3986	72.95

	09.00/10.00	<b>2804</b>	<b>2547</b>	<b>3980</b>	72.92
	10.00/11.00	<b>2730</b>	<b>2547</b>	<b>3975</b>	72.89
	11.00/12.00	<b>3025</b>	<b>2547</b>	<b>3971</b>	72.87
	12.00/13.00	<b>3098</b>	<b>2547</b>	<b>3967</b>	72.84
	13.00/14.00	<b>2145</b>	<b>2549</b>	<b>3961</b>	72.80
	14.00/15.00	<b>2880</b>	<b>2549</b>	<b>3955</b>	72.77
	15.00/16.00	<b>2511</b>	<b>2548</b>	<b>3993</b>	72.73
	16.00/17.00	<b>2476</b>	<b>2550</b>	<b>3989</b>	72.69
	17.00/18.00	<b>3136</b>	<b>2548</b>	<b>3983</b>	72.67
	18.00/19.00	<b>2573</b>	<b>2550</b>	<b>3979</b>	72.64
	19.00/20.00	<b>2329</b>	<b>2550</b>	<b>3972</b>	72.59
	20.00/21.00	<b>2072</b>	<b>2550</b>	<b>3964</b>	72.55
<b>Wednesday</b>	21.00/22.00	<b>2108</b>	<b>2549</b>	<b>3956</b>	72.50
	22.00/23.00	<b>2107</b>	<b>2548</b>	<b>3988</b>	72.45
	23.00/24.00	<b>2143</b>	<b>2547</b>	<b>3985</b>	72.40
13/01/2011	00.00/01.00	<b>1848</b>	<b>2547</b>	<b>3976</b>	72.35
	01.00/02.00	<b>1887</b>	<b>2546</b>	<b>3966</b>	72.29
	02.00/03.00	<b>1891</b>	<b>2544</b>	<b>3957</b>	72.24
	03.00/04.00	<b>1890</b>	<b>2544</b>	<b>3988</b>	72.19
	04.00/05.00	<b>1888</b>	<b>2542</b>	<b>3981</b>	72.13
	05.00/06.00	<b>1887</b>	<b>2541</b>	<b>3971</b>	72.08
	06.00/07.00	<b>1922</b>	<b>2540</b>	<b>4002</b>	72.03
	07.00/08.00	<b>1631</b>	<b>2539</b>	<b>3993</b>	71.96
	08.00/09.00	<b>1629</b>	<b>2537</b>	<b>3981</b>	71.90
	09.00/10.00	<b>1918</b>	<b>2536</b>	<b>3970</b>	71.84
	10.00/11.00	<b>1917</b>	<b>2534</b>	<b>3960</b>	71.79
	11.00/12.00	<b>1589</b>	<b>2534</b>	<b>3988</b>	71.72
	12.00/13.00	<b>1938</b>	<b>2592</b>	<b>3978</b>	71.66
	13.00/14.00	<b>2539</b>	<b>2650</b>	<b>3969</b>	71.62
	14.00/15.00	<b>1451</b>	<b>2650</b>	<b>3959</b>	71.55
	15.00/16.00	<b>1677</b>	<b>2769</b>	<b>3985</b>	71.49
	16.00/17.00	<b>1817</b>	<b>2825</b>	<b>3975</b>	71.43
	17.00/18.00	<b>1231</b>	<b>2883</b>	<b>3962</b>	71.35
	18.00/19.00	<b>2062</b>	<b>2997</b>	<b>3987</b>	71.30
	19.00/20.00	<b>1530</b>	<b>3111</b>	<b>3977</b>	71.23
	20.00/21.00	<b>1679</b>	<b>3225</b>	<b>3964</b>	71.17
	21.00/22.00	<b>2091</b>	<b>3227</b>	<b>3952</b>	71.12
	22.00/23.00	<b>1534</b>	<b>3332</b>	<b>3941</b>	71.05
	23.00/24.00	<b>1667</b>	<b>3386</b>	<b>3928</b>	70.99
14/01/2011	00.00/01.00	<b>1767</b>	<b>3438</b>	<b>3916</b>	70.93
	01.00/02.00	<b>1572</b>	<b>3491</b>	<b>3903</b>	70.87

**At end of peri**  
Gate Openings (Metres)

Water Level >67.00. Open 5 gates to 0.25m each,in sequence		0.25	0.25	0.25
Decide at period end to	LEAVE AS SET	0.25	0.25	0.25
Decide at period end to	LEAVE AS SET	0.25	0.25	0.25
Decide at period end to	LEAVE AS SET	0.25	0.25	0.25
Decide at period end to	LEAVE AS SET	0.25	0.25	0.25
Decide at period end to	LEAVE AS SET	0.25	0.25	0.25
Water Level >67.00 &Rising;	<b>RESET GATES IN SEQUENCE to 0.5m</b>	0.25	0.25	0.25
		<b>0.50</b>	<b>0.50</b>	<b>0.50</b>
	<b>LEAVE AS SET</b>	0.50	0.50	0.50
		0.50	0.50	0.50
		0.50	0.50	0.50
		0.50	0.50	0.50
		0.50	0.50	0.50
Water Level >67.00 &Rising;	<b>RESET GATES IN SEQUENCE to 0.75m</b>	0.50	0.50	0.50
		<b>0.75</b>	<b>0.75</b>	<b>0.75</b>
Water Level >67.00 &Rising;	<b>RESET GATES IN SEQUENCE to 1.00m</b>	0.75	0.75	0.75
		<b>1.00</b>	<b>1.00</b>	<b>1.00</b>
Water Level >67.00 &Rising;	<b>RESET GATES IN SEQUENCE to 1.50m</b>	1.00	1.00	1.00
		<b>1.50</b>	<b>1.50</b>	<b>1.50</b>
Water Level >67.00 &Rising;	<b>RESET GATES IN SEQUENCE to 2.50m</b>	1.50	1.50	1.50
		<b>2.50</b>	<b>2.50</b>	<b>2.50</b>
Water Level >67.00 &Rising?;	<b>RESET GATES IN SEQUENCE to 4.00m</b>	2.50	2.50	2.50
		<b>4.00</b>	<b>4.00</b>	<b>4.00</b>
		4.00	4.00	4.00
		4.00	4.00	4.00
Water Level >67.00 &Rising?;	<b>RESET GATES IN SEQUENCE to 6.00m</b>	4.00	4.00	4.00
		<b>6.00</b>	<b>6.00</b>	<b>6.00</b>
		6.00	6.00	6.00
		6.00	6.00	6.00
		6.00	6.00	6.00
Water Level >67.00 &Falling;	<b>RESET ONE GATE to 5.00m</b>	6.00	6.00	6.00
Water Level >67.00 &Falling;	<b>RESET ONE GATE to 5.00m</b>	6.00	6.00	6.00
Water Level >67.00 &Falling;	<b>RESET ONE GATE to 5.00m</b>	6.00	<b>5.00</b>	6.00
Water Level >67.00 &Falling;	<b>RESET ONE GATE to 5.00m</b>	6.00	5.00	<b>5.00</b>
Water Level >67.00 &Falling;	<b>RESET ONE GATE to 5.00m</b>	6.00	5.00	5.00
Water Level >67.00 &Falling;	<b>RESET ONE GATE to 4.00m</b>	<b>5.00</b>	5.00	5.00
Water Level >67.00 &Falling;	<b>RESET ONE GATE to 4.00m</b>	5.00	5.00	5.00
Water Level >67.00 &Falling;	<b>RESET ONE GATE to 4.00m</b>	5.00	<b>4.00</b>	5.00
Water Level >67.00 &Falling;	<b>RESET ONE GATE to 4.00m</b>	5.00	4.00	<b>4.00</b>
Water Level >67.00 &Falling;	<b>RESET ONE GATE to 4.00m</b>	5.00	4.00	4.00
Water Level >67.00 &Falling;	<b>RESET ONE GATE to 3.00m</b>	<b>4.00</b>	4.00	4.00
Water Level >67.00 &Falling;	<b>RESET ONE GATE to 3.00m</b>	4.00	4.00	4.00
Water Level >67.00 &Falling;	<b>RESET ONE GATE to 3.00m</b>	4.00	<b>3.00</b>	4.00
Water Level >67.00 &Falling;	<b>RESET ONE GATE to 3.00m</b>	4.00	3.00	<b>3.00</b>





	Outflow Rate limited	7.00	7.50	7.50
	Vulnerable for some time	7.00	7.50	7.50
		7.00	7.50	7.50
		7.00	7.50	7.50
		7.00	7.50	7.50
Maintain Maximum Release	<b>OPEN ADDITIONAL GATE TO 7.50 m</b>	7.00	7.50	7.50
		7.00	7.50	7.50
		7.00	7.50	7.50
		7.00	7.50	7.50
		7.00	7.50	7.50
		7.00	7.50	7.50
Maintain Maximum Release	<b>OPEN LAST GATE TO 7.50 m</b>	7.00	7.50	7.50
		<b>7.50</b>	7.50	7.50
		7.50	7.50	7.50
		7.50	7.50	7.50
Maintain Maximum Release	<b>OPEN FIRST GATE TO 8.00 m</b>	7.50	7.50	7.50
		<b>8.00</b>	7.50	7.50
		8.00	7.50	7.50
Maintain Maximum Release	<b>OPEN SECOND GATE TO 8.00 m</b>	8.00	7.50	7.50
		8.00	7.50	7.50
		8.00	7.50	7.50
		8.00	7.50	7.50
Maintain Maximum Release	<b>OPEN THIRD GATE TO 8.00 m</b>	8.00	7.50	7.50
		8.00	7.50	<b>8.00</b>
		8.00	7.50	8.00
		8.00	7.50	8.00
Maintain Maximum Release	<b>OPEN FOURTH GATE TO 8.00 m</b>	8.00	7.50	8.00
		8.00	<b>8.00</b>	8.00
		8.00	8.00	8.00
Maintain Maximum Release	<b>OPEN FIFTH GATE TO 8.00 m</b>	8.00	8.00	8.00
	This spreadsheet is incomplete as at 9.00 3rd May 2011	8.00	8.00	8.00
	The number crunching will proceed unabated	8.00	8.00	8.00
	This is supplementary to my original submissions and hopefully	8.00	8.00	8.00
	when complete, the ultimate	8.00	8.00	8.00
		8.00	8.00	8.00
Ian Chalmers B.E.,B Econ.		8.00	8.00	8.00
		8.00	8.00	8.00
		8.00	8.00	8.00



od		Average
s x Vertical)		Period
		Discharge
		(Cumecs)
0.25	0.25	71
0.25	0.25	125
0.25	0.25	125
0.25	0.25	125
0.25	0.25	125
0.25	0.25	125
0.25	0.25	125
<b>0.50</b>	<b>0.50</b>	<b>193</b>
0.50	0.50	248
0.50	0.50	248
0.50	0.50	248
0.50	0.50	248
0.50	0.50	248
0.50	0.50	249
<b>0.75</b>	<b>0.75</b>	<b>316</b>
0.75	0.75	371
<b>1.00</b>	<b>1.00</b>	<b>435</b>
1.00	1.00	493
<b>1.50</b>	<b>1.50</b>	<b>623</b>
1.50	1.50	731
<b>2.50</b>	<b>2.50</b>	<b>982</b>
2.50	2.50	1186
<b>4.00</b>	<b>4.00</b>	<b>1526</b>
4.00	4.00	1814
4.00	4.00	1812
4.00	4.00	1812
<b>6.00</b>	<b>6.00</b>	<b>2213</b>
6.00	6.00	2537
6.00	6.00	2530
6.00	6.00	2521
6.00	6.00	2512
<b>5.00</b>	6.00	<b>2440</b>
5.00	6.00	2367
5.00	6.00	2293
5.00	<b>5.00</b>	<b>2220</b>
5.00	5.00	2149
<b>4.00</b>	5.00	<b>2072</b>
4.00	5.00	1996
4.00	5.00	1919
4.00	<b>4.00</b>	<b>1843</b>
4.00	4.00	1769
<b>3.00</b>	4.00	<b>1689</b>
3.00	4.00	1608
3.00	4.00	1528

3.00	<b>3.00</b>	<b>1448</b>
3.00	3.00	<b>1370</b>
3.00	3.00	<b>1367</b>
3.00	3.00	<b>1368</b>
3.00	3.00	<b>1369</b>
3.00	3.00	<b>1369</b>
3.00	3.00	<b>1369</b>
3.00	3.00	<b>1369</b>
3.00	3.00	<b>1370</b>
3.00	3.00	<b>1371</b>
3.00	3.00	<b>1371</b>
3.00	3.00	<b>1371</b>
3.00	3.00	<b>1371</b>
3.00	3.00	<b>1371</b>
3.00	3.00	<b>1370</b>
<b>2.00</b>	3.00	<b>1289</b>
2.00	3.00	<b>1203</b>
2.00	3.00	<b>1116</b>
2.00	<b>2.00</b>	<b>1030</b>
2.00	2.00	<b>944</b>
2.00	2.00	<b>940</b>
<b>1.50</b>	2.00	<b>897</b>
1.50	2.00	<b>852</b>
1.50	2.00	<b>807</b>
1.50	<b>1.50</b>	<b>763</b>
1.50	1.50	<b>718</b>
1.50	1.50	<b>716</b>
1.50	1.50	<b>716</b>
1.50	1.50	<b>717</b>
1.50	1.50	<b>718</b>
<b>2.50</b>	<b>2.50</b>	<b>965</b>
2.50	2.50	<b>1168</b>
2.50	2.50	<b>1172</b>
<b>4.00</b>	<b>4.00</b>	<b>1520</b>
4.00	4.00	<b>1809</b>
<b>6.00</b>	<b>6.00</b>	<b>2222</b>
6.00	6.00	<b>2565</b>
<b>8.50</b>	<b>8.50</b>	<b>2979</b>
8.50	8.50	<b>3332</b>
8.50	8.50	<b>3370</b>
8.50	8.50	<b>3406</b>
8.50	8.50	<b>3441</b>
8.50	8.50	<b>3477</b>
8.50	8.50	<b>3514</b>
8.50	8.50	<b>3553</b>
8.50	8.50	<b>3595</b>
8.50	8.50	<b>3635</b>
8.50	8.50	<b>3673</b>
8.50	8.50	<b>3713</b>
8.50	8.50	<b>3753</b>

8.50	8.50	<b>3795</b>
8.50	8.50	<b>3838</b>
8.50	8.50	<b>3871</b>
8.50	8.50	<b>3895</b>
8.50	8.50	<b>3924</b>
8.50	8.50	<b>3951</b>
8.50	8.50	<b>3974</b>
8.50	8.50	<b>3999</b>
8.50	8.50	<b>3986</b>
8.50	8.50	<b>3996</b>
8.50	<b>8.00</b>	<b>3969</b>
8.50	8.00	<b>3974</b>
8.50	8.00	<b>3979</b>
8.50	8.00	<b>3985</b>
8.50	8.00	<b>3990</b>
8.50	8.00	<b>3993</b>
8.50	8.00	<b>3996</b>
8.50	8.00	<b>3964</b>
8.50	8.00	<b>3962</b>
8.50	8.00	<b>3962</b>
8.50	8.00	<b>3966</b>
8.50	8.00	<b>3974</b>
8.50	8.00	<b>3987</b>
8.50	8.00	<b>3971</b>
8.50	8.00	<b>3985</b>
<b>8.00</b>	8.00	<b>3962</b>
8.00	8.00	<b>3965</b>
8.00	8.00	<b>3996</b>
8.00	<b>7.50</b>	<b>3988</b>
8.00	7.50	<b>3981</b>
8.00	7.50	<b>3972</b>
<b>7.50</b>	7.50	<b>3954</b>
7.50	7.50	<b>3974</b>
7.50	7.50	<b>3995</b>
7.50	7.50	<b>3969</b>
7.50	7.50	<b>3980</b>
7.50	7.50	<b>3993</b>
7.50	<b>7.00</b>	<b>3962</b>
7.50	7.00	<b>3971</b>
7.50	7.00	<b>3980</b>
7.50	7.00	<b>3986</b>
7.50	7.00	<b>3990</b>
7.50	7.00	<b>3992</b>
7.50	7.00	<b>3994</b>
7.50	7.00	<b>3995</b>
<b>7.50</b>	<b>7.00</b>	<b>3996</b>
<b>7.50</b>	<b>7.00</b>	<b>3996</b>
7.50	7.00	<b>3995</b>
7.50	7.00	<b>3992</b>
7.50	7.00	<b>3986</b>

7.50	7.00	<b>3980</b>
7.50	7.00	<b>3975</b>
7.50	7.00	<b>3971</b>
7.50	7.00	<b>3967</b>
7.50	7.00	<b>3961</b>
7.50	7.00	<b>3955</b>
7.50	<b>7.50</b>	<b>3993</b>
7.50	7.50	<b>3989</b>
7.50	7.50	<b>3983</b>
7.50	7.50	<b>3979</b>
7.50	7.50	<b>3972</b>
7.50	7.50	<b>3964</b>
7.50	7.50	<b>3956</b>
7.50	7.50	<b>3988</b>
7.50	7.50	<b>3985</b>
7.50	7.50	<b>3976</b>
7.50	7.50	<b>3966</b>
7.50	7.50	<b>3957</b>
7.50	7.50	<b>3988</b>
7.50	7.50	<b>3981</b>
7.50	7.50	<b>3971</b>
7.50	<b>8.00</b>	<b>4002</b>
7.50	8.00	<b>3993</b>
7.50	8.00	<b>3981</b>
7.50	8.00	<b>3970</b>
7.50	8.00	<b>3960</b>
7.50	8.00	<b>3988</b>
7.50	8.00	<b>3978</b>
7.50	8.00	<b>3969</b>
7.50	8.00	<b>3959</b>
7.50	8.00	<b>3985</b>
7.50	8.00	<b>3975</b>
7.50	8.00	<b>3962</b>
<b>8.00</b>	8.00	<b>3987</b>
8.00	8.00	<b>3977</b>
8.00	8.00	<b>3964</b>
8.00	8.00	<b>3952</b>
8.00	8.00	<b>3941</b>
8.00	8.00	<b>3928</b>
8.00	8.00	<b>3916</b>
8.00	8.00	<b>3903</b>

Cockup Gate lifted one hour too early