


Prepared for Water Delivery QLD Bulk Water Supply Authority trading as Seqwater

Subject
Review of Seqwater Document
"January 2011 Flood Event —
Report on the operation of Somerset
Dam and Wivenhoe Dam" 2 March
2011

Author Emeritus Professor Colin Apelt

9 March 2011 UniQuest Project No: 16984

UniQuest Pty Limited



UniQuest Pty Limited Consulting & Research (A.B.N. 19 010 529 898)

Level 7, GP South Building Staff House Road University of Queensland Queensland 4072 Postal Address: PO Box 6069 St Lucia Queensland 4067

Telephone: (61-7) 3365 4037 Facsimile: (61-7) 3365,7115

QFCI
Date: 17 05 11

Exhibit Number: 410

Title

Review of Seqwater Document "January 2011 Flood Event – Report on the operation of Somerset Dam and Wivenhoe Dam" 2 March 2011

Author's Declaration

This report has been prepared in accordance with UniQuest's Quality Management System, which is compliant with AS/NZS ISO 9000:2000.

The work and opinions expressed in this report are those of the Author.

Signed by Emeritus Professor Colin Apelt

Author signature UniQuest Project No: 1698 4	4	

Signed for and on behalf of UniQuest Pty Limited




TABLE OF CONTENTS

1.	INTRODUCTION	2
2.	REVIEW PROCESS	2
3.	REVIEW FINDINGS	3
	3.1 Question 1 - Response	3
	3.2 Question 2 - Response	3
4.	CONCLUSION	3

1. INTRODUCTION

Emeritus Professor Apelt was engaged by UniQuest Pty Limited at the request of Seqwater to undertake independent reviews and to provide advice on various matters in relation to the recent flood events, in particular the January Flood Event.

This report provides the findings of the review that has been carried out by Professor Apelt in response to the letter from the Executive General Manager, Water Delivery QLD Bulk Water Supply Authority *trading as* Seqwater, dated March 07, 2011. This letter specified that, at this time, the review should be confined to answering the two following questions:

- 1. The January 2011 Flood Event occurred between 6 January 2011 and 19 January 2011. Was the release of water from Wivenhoe Dam and Somerset Dam during the January 2011 Flood Event in accordance with The Manual of Operational Procedures for Flood Mitigation at Wivenhoe Dam and Somerset Dam (Revision 7)?
- 2. Based on the information contained in the Report, were there any aspects relating to the operation of Wivenhoe Dam and the operation of Somerset Dam during the January 2011 Flood Event not in accordance with The Manual of Operational Procedures for Flood Mitigation at Wivenhoe Dam and Somerset Dam (Revision 7)?

2. REVIEW PROCESS

The document, "January 2011 Flood Event - Report on the operation of Somerset Dam and Wivenhoe Dam", dated 2 March 2011 has been reviewed and particular attention has been given at this time to the Executive Summary and to the following Chapters

- 2 Flood Event summary
- 9 Dam inflow and flood release details
- 10 Flood management strategies and manual compliance
- 19 Report conclusions

3. REVIEW FINDINGS

3.1 Question 1 - Response

After detailed review of the information provided in sections 2, 9 and 10 of the Report, Professor Apelt has concluded that the release of water from Wivenhoe Dam and Somerset Dam during the January 2011 Flood Event was in accordance with The Manual of Operational Procedures for Flood Mitigation at Wivenhoe Dam and Somerset Dam (Revision 7), throughout the entire period from 6 January 2011 to 19 January 2011.

3.2 Question 2 - Response

During his review of the information contained in the Report, Professor Apelt did not detect any aspect relating to the operation of Wivenhoe Dam and the operation of Somerset Dam during the January 2011 Flood Event that was **not** in accordance with The Manual of Operational Procedures for Flood Mitigation at Wivenhoe Dam and Somerset Dam (Revision 7).

4. CONCLUSION

The findings reported above have been developed independently by Professor Apelt from his review of the document cited above, without reference to any other source of any nature.